Notice of Allowability	Application No.	Applicant(s)
	10/650,631	FREEMAN ET AL.
	Examiner	Art Unit
	Charles R. Kasenge	2125
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>communication filed 6/26/06</u> .		
2. The allowed claim(s) is/are <u>9-13,16 and 21-29</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of</li> </ul>		
Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	e
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	<del>-</del>	nt of Reasons for Allowance
	9. 🗌 Other	

Application/Control Number: 10/650,631 Page 2

Art Unit: 2125

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. The application has been amended as follows:
  - a. In the claims: Original claim 28; pg. 9, lines 5 and 6-7

Line 5, replace "embedded webserver" with --embedded Web server--.

Lines 6-7, replace "embedded webserver" with --embedded Web server--.

## Allowable Subject Matter

- 3. Claims 9-13, 16 and 21-29 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The prior art of record does not disclose an irrigation controller comprising: (c) an on-board Ethernet chipset for connecting said microprocessor to a LAN, whereby a network accessing device having a Web browser connected to said LAN may be used to interactively access said embedded Web server of said irrigation controller for viewing and changing of said irrigation program and schedule data, and, (d) a remote server in communication with said embedded Web server, said remote server programmed to change said irrigation program and schedule data of said embedded Web server.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 10/650,631 Page 3

Art Unit: 2125

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Charles R. Kasenge whose telephone number is 571 272-3743.

The examiner can normally be reached on Monday through Friday, 8:30 - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Leo Picard can be reached on 571 272-3749. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CK

July 7, 2006

ALBERT W. PALADINI PRIMARY EXAMINED

Most W. Calan 70-06